



Forum: Software ĩ¼^è»Ÿé«”ĩ¼%oo

Topic: IP

Subject: IP - Part 2

Posted by: Tim Luo

Posted on: 2008/3/22 21:54:27

ç°jå-®çš,,è^{aa} IP

â°±âƒ•ä,€â€(ä⁰⁰çš,,ä½•â•œæˆ—é)»è©±è™ÿçŸ¼¼¼œè®“æ°•é€šçš,,é,TMæ-¹èƒ½æ‰¾çš,,â°â°œ-¹ã€, IP çš,,çµ,æ•Ÿçˆæ…£æ¬à»¥ xxx.xxx.xxx.xxx çš,,æ-¹â¼•è|çš⁰ⁱ¼¼œÆâ…¶ä,- xxx æ~ 0 â° 255 çš,,â••é²ä½•æ,â—ã€,

IP é,,æœ%â®fáˆ†é...•çš,,è!•çŸÖ©ï¼œÄ„lä„•æ~æ~ä„€â€(éf½ă~ă»¥ă'łés)ă½çŸ""ă^°ă€,IP
 è™Ÿçç¼ă»¥ 127. é-(é -æ~æ~ä„€â€æ©Ÿă™™"æ^-è£•ç½œçš,,é •è-çŸ²è~ IP, ä¾¼) TCP/IP
 æœ-eº«ä½çŸ""ă€,é€šă„ä'Ÿč± localhosti¼œè€œĂ...ŸçŸ„ă°•çš,, IP âº%ıçŸ""127.0.0.1
 èjçœªă€,ă'łés)ă„Šé™ªœª+ 127.0.0.0 áœ 127.255.255.255 â...©ă€ IP ä¹(ăª-i¼œ
 ä...Ÿă"-æº%œæœº%çš,, 127 é-(é -çš,, IP éf½ă~ă»¥èªæ~ localhost çš,, IPă€, 127 é-(é -çš,, IP
 ä„lä„•æœfă„³ă°æœ-eº«æ©Ÿă™™"ă»¥ăª-çš,,ăœ°æ-lă€,ă³ă½çœ©Ÿă™™"æ²æœº%â®%œ£•çŸ²è~.ă°ï
 ¼œăªè!æœº% TCP/IP â®fáˆ†±ă~ăœ"ă€,ă»ä„æ~ăœ Windows XP çš,,ă½ă»mèl-çă—ă„ăŸ.èjœ
 ping çš,,æš"ăœ-ă€,

```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\Fun>ping 127.0.0.1

Pinging 127.0.0.1 with 32 bytes of data:

Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128

Ping statistics for 127.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Documents and Settings\Fun>ping 127.0.0.0

Pinging 127.0.0.0 with 32 bytes of data:

Destination specified is invalid.
Destination specified is invalid.
Destination specified is invalid.
Destination specified is invalid.

Ping statistics for 127.0.0.0:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\Documents and Settings\Fun>ping 127.255.255.255

Pinging 127.255.255.255 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 127.255.255.255:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\Documents and Settings\Fun>ping 127.255.255.254

Pinging 127.255.255.254 with 32 bytes of data:

Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128

Ping statistics for 127.255.255.254:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Documents and Settings\Fun>
```

é™āā°†127 é—é -çš,, IP ā¹āā—ī¼Œé,,æœ%ā,%%æ@µ IP
æ~ā,•æœfā,³ā°āā—é•çš,,çŒ²è·çš,,ā€é™ā,%%æ@µā†ā~æ~ 10. é—é -çš,, IP, 172.16.xxx.xxx ~
172.31.255.255 ā»¥ā•Š 192.168. é—é -çš,, IPā€ā,ā@fā€'ā,€è^-ç±ç,çš•æœ% IP (private IP)
ī¼Œé€šā,ç™™æ—¼ā...šéfçŒ²è·ā€æœ%æ™,ā€™ā°ā€'æœfā»¥ā...šéf IP è†āā—éf IP
ā†ā^ç±ā¹¼ā€āœç³āœā³¼āšā°ā½ç™™ IP ā†ā°«ā™çš,,æç•ā»Œā,ī¼Œ
ā½çç™™çš,,é»è...!ā¹és)ā,Šæç™™ā...šéf IP çš,,ī¼Œ
ā½†āœè†āā—é•çš,,é»è...!æ°é€šæ™,æç™™āā—éf IP çš,,ī¼Œé€™ā¹Yæ~
ā¼°æœā™çœā°ā»¥ā•Šç'€€Œ,,çš,, IPā€,

ā!,æžœèāāœè€™é°¼ā—@ç™çš,,ç°āçfā,ç'æž¥è†āā—é•ç€çšī¼Œé,£é°¼ā°æ—¹çœā°çš,, IP
ā°±ā°ā»¥èāæ~ā¹és)çš,,
IPī¼Œā,•ā@ā»ā½ā°ā°è°çš,,ā€,ā½†ç³āā¹ā,ç•Œā°ā,•æ~é™é°¼ā—@ç™çš,,ā€,ā³¼āšā°ā°ā»
¥€€é€žā...Œā—æ@Yā™ā,ŠçŒī¼Œæ—¹æ³•ā°ā»¥€€é€žé™æžšā...Œā—é»è...!ī¼Œā½çç™™ā»£ç•
†ā¼°æœā™çœ%çœ%ā€,ā†ā~æ~èç°ā!,ā,ī¼š

é™æžšā...Œā—é»è...!

é™æžšā...Œā—é»è...!çš,,æ—¹ā¼°æè°ççŒè°āšā,ī¼Œā°ā»¥ā½çç™™ PCAnywhereī¼ŒVNC
ā»¥ā•Š IP KVM çœ%çœ%ā€,PCAnywhere
æ±œè°²ā³¼āšā°ā°é½è°½éžī¼Œçç°éžæ~çœé°žā€,è³æ—¼ VNC ā°Œ IP KVM
çš,,āžYç†āY°æœ—ā,Šçš†éžā¼¼ā€,āœè€™ç°@çœæ³•ā,éç«ā¼°æœā™çœā°çš,, IP
æ~èç«é™æžšā»è...!çš,, IPī¼Œé€ŒŒā,•æ~ā¹és)ā½çç™™è€...çš,,
IPā€,āœè€™ç°@çœæ³•ā,èçY¥é°ā¹és)ā½çç™™è€...çš,, IP æ~é°žā,ā°é£çš,,ā€,

ā½çç™™ā»£çç†ā¼°æœā™

ā½çç™™ā»£çç†ā¼°æœā™æ~ā°āā—ā,€ç°@ā,èççš,,æ—¹æ³ī¼Œçç°jā—@çš,,èāā¹és)è†ā°æ—¹ā¼°æ
œā™é€£çšçš,,æ~ā»£çç†ā¼°æœā™ī¼Œé€ŒŒā,•æ~ā½çç™™è€...çš,,é»è...!ā€,ā»£çç†ā¼°æœā™
æœfæššéç«çš,,ā...šā°é€çµlā½çç™™è°²ā»£çç†çš,,é»è...!ī¼Œé€™æ™,ā€™éç«ā¼°æœā™
çœā°çš,,æ~ā»£çç†ā¼°æœā™ IPī¼Œæœ%çç'€€Œ,,çš,,ā¹Yæ~è°²
IPā€,çœā°é€™è½jā½ æ±œè°²æœfæ,Yè!æ...°ā°±çµ•æYā°†ī¼Œā½†ā¹és)ā»ā,ç,,Œā€,é™ā
°†ā¼°æœā™ā,Šç'€€Œ,,çš,, IP æ~ā»£çç†ā¼°æœā™çš,, IP
ā¹āā—ī¼Œæœ%ā°æ±œçç°ç'ā¼°æœfèççā°ā»£çç†ā¼°æœā™æ~ā°ā°ā»¥éçç°ā½çç™™è°²ā»£
çç†ā¼°æœā™çš,,é»è...!çš,,
IPā€,é€™æ™,ā€™ā°±èçœā»£çç†ā¼°æœā™æ~æžæ£è°—ā@šçš,,ī¼Œā!,æžœè°—ā@šæ°æœfé
€ā†è°²èšæ°ī¼Œé,£é°¼ā°æ—¹çš,,ā¼°æœā™ā°±æœfçœā°ā¹és)ā½çç™™ā»£çç†ā¼°æœā™ç
š,,é»è...!çš,,
IPā€,ā!,æžœā»£çç†ā¼°æœā™çš,,è°—ā@šæ~ā,•æ•ā³¼)æ—æè³æ—™ī¼Œā¹Yā°±æ~æœ%èè-,çš,,
āŒçā°ā»£çç†ā¼°æœā™
ī¼Œā°æ—¹ā¼°æœā™ā°±çœā,ā°ā¹és)ā½çç™™ā»£çç†ā¼°æœā™çš,,é»è...!çš,, IPā€,āf•
OKENGLISH çš,, newbb
èž«—ā°æ~jçµ,ā½çç™™çš,,ā°±æ~æ—ç°@āšYè½jā€è³æ—¼Œèè€...æ~ā,æ~ā°è!ā°æ...ā°
ā°±é™é°¼çµ•æYā°†ā°çī¼Yç°æj^ā»ç,,Œæ~ā°ā@šçš,,ā€,

ç³āœā...^éçç°ā,€æ@µæ°çš,, Web ā¼°æœā™ā,Šçšç'€€Œ,,ā³¼āšā°Œā°fè€fā€,

218.111.181.7 - - [22/Mar/2008:21:10:07 +0800] "POST /chat/getxml.php HTTP/1.1" 200 64 "-"
"Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12) Gecko/20080201 Firefox/2.0.0.12"
220.141.101.39 - - [22/Mar/2008:21:10:08 +0800] "POST /chat/getxml.php HTTP/1.1" 200 64 "
<http://okenglish.tw/chat/chatui.swf">; "Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0;
SLCC1; .NET CLR 2.0.50727; .NET CLR 3.0.04506)"
220.181.19.183 - - [22/Mar/2008:21:10:08 +0800] "GET
/modules/xcgal/displayimage.php?album=lastcom&cat=0&pos=64&pid=328 HTTP/1.1" 200 27810 "-"
"Sogou web spider/3.0(+<http://www.sogou.com/docs/help/webmasters.htm#07>)"
165.21.155.11 - - [22/Mar/2008:21:10:11 +0800] "POST /chat/getxml.php HTTP/1.1" 200 64 "
<http://okenglish.tw/chat/chatui.swf">; "Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET
CLR 1.1.4322; .NET CLR 2.0.50727; IEMB3; .NET CLR 3.0.04506.30; .NET CLR 3.0.04506.648;
IEMB3)"

[illegible]


Tim Luo

IP

#1

Webmaster

★★★★★



Joined:

2006/1/16 17:41

From Taipei, 大羅天

Group:

Webmasters
Registered Users

Posts: 1190

Level: 30

HP: 145 / 727

MP: 396 / 4631

EXP: 9

ONLINE


I hate to type Chinese as it's way too slow for me, but sometimes it's inevitable.

在 Internet 上是以 IP 作溝通, 因此網站伺服器本身基本上都會有連線紀錄, 也就是哪個 IP 在哪個時候和它連線的所有紀錄。那麼這些紀錄是否就完全可靠呢? 答案是否定的, 因為所顯示的 IP 未必是該連線用戶的真實 IP。至於為何是如此, 則牽涉到一些因素, 我將在較有空時作一些解釋, 並舉一些不必靠寫程式的方式誤導他方, 讓對方以為看到的 IP 就是那麼回事。在那之前, 我會花一些篇幅解釋 IP 的基本架構。

<待續>

Tim

IP: 127.255.255.255 | Posted on: Yesterday 16:40:38



EDIT

DELETE

REPLY

QUOTE

ä,Šăœ-æ~æ^'ä,Šă,€ç-†æ-†ç« çš,, IP éj-çªõã€,,æœfä,•æœfæ,,Ÿä^°ä¥†æ€ª¼œIP
æ€Žé°¼æœfæ~
127.255.255.255ã€,âœ"é€™ç"®ç'€æ³•ä,‹æ›'â¥½ï¼œä®fè®"ä½ çŸ¥é•"ç³»çµ±ç,,jæ³•çºèª•æ%œâ¼
—â^°çš,, IP
æ~æ-£çºçš,,ã€,é€™ä¹Ÿä'Sè"æ^â€ç¶²è·ä,-ç•œä,lä,•æ~é,£é°¼ç°jâ-®ï¼œä¹Ÿä°±æ~ç,°ä»€é°¼ä
¾^âªšä°°æ•ºés"æ,,•ä°,ä¾¼†çš,,äŽŸä› ä€,

Tim

<http://okenglish.tw>

2024/5/16 10:42:04 / Page 4